

DNA Report: certifiedbuildingsurveying.com.au

Generated: 2026-09-08 01:36:41 UTC • Time: 1.02s • <https://trustexpired.com/dna/certifiedbuildingsurveying.com.au>

AVOID Zbyt wiele sygnałow ostrzegawczych - omijaj.

RED FLAGS

- ✗ Aktualnie na DNSBL: zen.spamhaus.org
- ✗ DOMENA DROPPED — wolna do rejestracji

YELLOW SIGNALS

- Trust Score niski (208/1000) — słabe sygnały reputacji

TRUST SCORE BREAKDOWN

	Value	Source
	208 / 1000	TrustExpired
	0 / 400	Trustpilot+Opineo+Ceneo
	108 / 300	PageRank+Majestic
	100 / 200	Whois+age+SSL
	0 years	WHOIS
	4.34	Open PageRank API
	n/a	Majestic
	0	Majestic
	0	Majestic
	0	Majestic

DNS RECORDS (live)

Type	Records
A	82.197.80.9
AAAA	2a02:4780:2b:1486:0:17bb:eb1c:2
MX	1 certifiedbuildingsurveying-com-au.mail.protection.outlook.com.
NS	ns2.dnspackage.com. ns3.dnspackage.com. ns4.dnspackage.com.
TXT	"MS=ms82163468" "v=spf1 ip4:122.201.124.87 include:spf.protection.outlook.com include:mailgun.org +a +mx include:all._spf.ds.network -all"

DNSBL CHECK (live)

IP checked	82.197.80.9
Verdict	BLACKLISTED
Listed on	zen.spamhaus.org
Clean on	bl.spamcop.net, b.barracudacentral.org, dnsbl.sorbs.net

Powered by **TrustExpired.com** • Największy polski agregator domen .pl z Trust Score • Generated for certifiedbuildingsurveying.com.au

Data sources: TrustExpired DB, RDAP nask, crt.sh, Wayback Machine, rejestr.io KRS, DNSBL providers. This report is not legal advice.
Verify findings independently.